

ELEKTRISOLA
DR. GERD SCHILDBACH
GMBH & CO. KG

REACH Information from Elektrisola

Dear customer,

REACH (**R**egistration, **E**valuation and **A**uthorization of **C**hemicals) in Europe asks for registration of chemical substances in Europe after December 1, 2008. Enamelled wire is not required to be listed, as it is considered as an "article", not as a chemical substance.

ECHA (**E**uropean **C**hemicals **A**gency) has proposed enclosed list of chemicals, which should not be contained in articles of above 0.1 % (w/w) content. Hereby Elektrisola declares that our enamelled wire products fully comply with the regulation of REACH with respect to the Substances of Very High Concern (SVHC) as published by ECHA until today http://echa.europa.eu/chem_data/candidate_list_table_en.asp. For the individual chemicals please see enclosed list.

All suppliers to European Elektrisola factories are in correspondence with REACH, so no problem of supply should occur.

Please contact us should you have any questions, or if we can be of further assistance.



Bruno Krause
Head of QC and Technical Service
Elektrisola (Germany)

phone: +49 2265 12-258
fax: +49 2265 12-239
email: b.krause@elektrisola.de

Revision 6: 29 December 2011

Enclosure
List of Chemicals

**Enclosure to REACH Information from Elektrisola:
SVHC candidate list as of 19th December 2011**

1. 1,2,3-trichloropropane
2. 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkylesters, C7-rich
3. 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters
4. 1,2-Dichloroethane
5. 1-methyl-2-pyrrolidone
6. 2,2'-Dichloro-4,4'-methylenedianiline
7. 2,4-Dinitrotoluene
8. 2-Ethoxyethanol
9. 2-Ethoxyethyl acetate
10. 2-Methoxyaniline; o-Anisidine
11. 2-Methoxyethanol
12. 4-(1,1,3,3-Tetramethylbutyl)phenol; 4-tert-octyl phenol
13. 4,4'- Diaminodiphenylmethane (MDA)
14. 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)
15. Acrylamide
16. Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)
17. Aluminosilicate Refractory Ceramic Fibres
(Al₂O₃: 43.5 – 47 % w/w, and SiO₂: 49.5 – 53.5 % w/w, or Al₂O₃: 45.5 – 50.5 % w/w,
and SiO₂: 48.5 – 54 % w/w)
18. Aluminosilicate Refractory Ceramic Fibres
(Oxides of aluminium and silicon are present within variable concentration ranges)
19. Ammonium dichromate
20. Anthracene
21. Anthracene oil
22. Anthracene oil, anthracene paste
23. Anthracene oil, anthracene paste, anthracene fraction
24. Anthracene oil, anthracene paste, distn. lights
25. Anthracene oil, anthracene-low
26. Arsenic acid
27. Benzyl butyl phthalate (BBP)
28. Bis (2-ethylhexyl)phthalate (DEHP)

ELEKTRISOLA

DR. GERD SCHILDBACH

GMBH & CO. KG

29. Bis(2-methoxyethyl) phthalate
30. Bis(2-methoxyethyl) ether
31. Bis(tributyltin)oxide (TBTO)
32. Boric acid
33. Calcium arsenate
34. Chromic acid, oligomers of chromic acid and dichromic acid
35. Chromium trioxide
36. Cobalt dichloride
37. Cobalt (II) carbonate
38. Cobalt (II) diacetate
39. Cobalt (II) dinitrate
40. Cobalt (II) sulphate
41. Diarsenic pentaoxide
42. Diarsenic trioxide
43. Dibutyl phthalate (DBP)
44. Dichromium tris(chromate)
45. Diisobutyl phthalate
46. Disodium tetraborate, anhydrous
47. Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified:
Alpha-hexabromocyclododecane
Beta-hexabromocyclododecane
Gamma-hexabromocyclododecane
48. Formaldehyde, oligomeric reaction products with aniline (technical MDA)
49. Hydrazine
50. Lead chromate
51. Lead chromate molybdate sulphate red (C.I. Pigment Red 104)
52. Lead diazide, Lead azide
53. Lead dipicrate
54. Lead hydrogen arsenate
55. Lead styphnate
56. Lead sulfochromate yellow (C.I. Pigment Yellow 34)
57. N,N-dimethylacetamide
58. Pentazinc chromate octahydroxide

E L E K T R I S O L A
DR. GERD SCHILDBACH
GMBH & CO. KG

- 59. Phenolphthalein
- 60. Pitch, coal tar, high temp.
- 61. Potassium chromate
- 62. Potassium dichromate
- 63. Potassium hydroxyoctaoxidizincatedichromate
- 64. Sodium chromate
- 65. Sodium dichromate
- 66. Strontium chromate
- 67. Tetraboron disodium heptaoxide, hydrate
- 68. Trichloroethylene
- 69. Triethyl arsenate
- 70. Tris(2-chloroethyl)phosphate
- 71. Trilead diarsenate
- 72. Zirconia Aluminosilicate Refractory Ceramic Fibres
(Al₂O₃: 35 - 36 % w/w, and SiO₂: 47.5 - 50 % w/w, and ZrO₂: 15 - 17 % w/w)
- 73. Zirconia Aluminosilicate Refractory Ceramic Fibres
(Oxides of aluminium, silicon and zirconium are present within variable concentration ranges)