

ELEKTRISOLA

126 High Street Boscawen, NH 03303 USA ph: 603 796-2114 fx: 603 796-2119

Certificate of Conformance

- **2002/96/EC** (WEEE)
- **2003/11/EC** (Prohibition of PentaBDE & OctaBDE, flame retardants)
- **2005/717/EC** (Prohibition of flame retardant DecaBDE)
- **2005/84/EC** (Restriction on the use of specific phthalates, plasticizers)
- **2006/122/EC** (Restriction on the use of perfluorooctane sulphonates)
- **2009/251/EC** (Prohibition of DMF, biocide)
- **2009/425/EC** (Restriction on the use of organostannic compounds)
- **2011/65/EU** (RoHS recast)
- **SOR/2012-285** (Prohibition of Certain Toxic Substances Regulations, 2012)
- **(EU) 2015/863** (Amendment of Annex II to Directive 2011/65/EU)
- **(EU) 2019/1021** (Persistent Organic Pollutants (POPs) Regulation recast)

Elektrisola hereby certifies that our magnet wire products conform to the standards set forth in EU Directives 2002/96/EC WEEE (Waste Electrical and Electronic Equipment), 2003/11/EC (Prohibition of PentaBDE & OctaBDE), 2005/717/EC (Prohibition of DecaBDE), 2005/84/EC (Restriction on the use of specific phthalates), 2006/122/EC (Restriction on the use of perfluorooctane sulphonates), 2009/251/EC (Prohibition of dimethylfumarate, DMF), 2009/425/EC (Restriction on the use of organostannic compounds), 2011/65/EU (Restriction of Hazardous Substances recast), Canada SOR/2012-285 (Prohibition of Certain Toxic Substances Regulations, 2012), (EU) 2015/863 (Amendment of Annex II to Directive 2011/65/EU) and (EU) 2019/1021 (Persistent Organic Pollutants (POPs) Regulation recast). Independent analysis is available for all RoHS and other regulated substances, as below:

- Cadmium
- Hexavalent Chromium
- Lead
- Mercury
- Polybrominated Biphenyls (PBB) or its derivatives
- Polybrominated Diphenylethers (PBDE) or its derivatives
- Total Halogen (F, Cl, Br, I)
- Perfluorooctane sulphonates (PFOS)
- Perfluorooctanoic acid (PFOA)
- Specific phthalates (BBP, DBP, DEHP, DIBP, DIDP, DINP, DNOP)

Our magnet wire / enamelled copper wire products are certified free of the following compounds / elements through engineering knowledge:

- Antimony * and compounds
- Arsenic * and compounds
- Asbestos
- Azo based colorants and specific azo compounds
- Benzenamine, N-phenyl-, Reaction Products with Styrene and 2,4,4-Trimethylpentene (BNST)
- Benzidine and benzidine dihydrochloride

ELEKTRISOLA

126 High Street Boscawen, NH 03303 USA ph: 603 796-2114 fx: 603 796-2119

- Beryllium and compounds
- Bisphenol-A
- Bis (tributyltin) oxide
- Dimethylfumarate (DMF)
- Dioxins and Furans
- Ethylene glycol dimethyl ether (EGDME)
- Formaldehyde
- Halogenated flame retardants (e.g. HBCD, HBCDD, TBBPA)
- Halogenated naphthalenes (e.g. PCN)
- Halogenated organic substances (e.g. HFC, HCFC, PFC)
- Long-chain perfluoroalkyl carboxylate (LCPFACs) and perfluoroalkyl sulfonate chemicals
- Magnesium and alloys
- Medium chain chlorinated paraffins (C14 – C17)
- Nickel * and compounds
- N-Nitrosodimethylamine
- Organotin compounds (e.g. DBT, DOT, TBT, TPT)
- Ozone depleting substances
- Perchloric acid and derivatives
- Pesticides (Aldrin, Chlordane, Chlordecone, DDT, Dieldrin, Endosulfan, Endrin, Heptachlor, Hexachlorobenzene, Hexachlorobutadiene, Hexachlorocyclohexanes, Mirex, Toxaphene)
- Phosphate compounds (TCEP, TCPP, TDCPP, TXP)
- Polychlorinated biphenyls (PCB)
- Polychlorinated organic substances
- Polychlorinated phenols and derivatives
- Polychlorinated terphenyls (PCT)
- Polycyclic aromatic hydrocarbons
- Polyvinyl chloride (PVC) and PVC blends
- Radioactive substances
- Red phosphorous
- Selenium * and compounds
- Short chain chlorinated paraffins (C10 – C13)
- Specific benzotriazole (2-(3',5'-Di-tert-butyl-2'-hydroxyphenyl)benzotriazole)
- Specific cationic surfactants (DTDMAC, DODMAC, DSDMAC, DHTDMAC)
- Specific fragrance substances (musk xylene, musk ketone)
- TSCA priority chemicals (Decabromodiphenyl Ether (DecaBDE), Phenol, Isopropylated Phosphate (3:1), 2,4,6-tris(tert-butyl)phenol (TTBP), Pentachlorothiophenol (PCTP), Hexachlorobutadiene (HCBDD))
- Triclosan
- 2-Methoxyethanol

Trace elements, lead at <5ppm and all others with * at <2ppm, may be locked within the copper metal matrix and are not removable through current ore smelting processes. These materials are not used in the production of or ancillary support systems for the manufacture of copper magnet wire.

ELEKTRISOLA

126 High Street Boscawen, NH 03303 USA ph: 603 796-2114 fx: 603 796-2119

Please contact us should you have any questions, or if we can be of further assistance.



Jeremy D. Letendre
EH&S Administrator
Elektrisola (USA)

phone: 603 796-3058
email: jletendre@elektrisola-usa.com

Revision 11: 05-Aug-2021